



# Woodcrest® Shingles



Autumn Maple†

Woodcrest® Shingles are a component of the Owens Corning™ Total Protection Roofing System™^



## The look that lasts.

Thick, ruggedly beautiful **Woodcrest®** Shingles are designed to enhance your home with the natural appearance and texture of wood shake but with greater durability and less maintenance. They also offer peace of mind by meeting the highest fire resistance standards in the industry. Best of all, Woodcrest® Shingles are available in eight distinctive color blends that are inspired by nature but not limited by it – giving your roof a pop of color you can't get from real wood. To add even more dimension and style to your home, be sure to pair your Woodcrest® Shingles with our color-matched Owens Corning™ Hip & Ridge Shingles.

- Limited Lifetime Warranty\*<sup>†</sup> for as long as you own your home
- 110/130\*\* MPH Wind Resistance Limited Warranty\*
- Algae Resistance Limited Warranty\*

## Home sweet home.

Home is where you want to feel the most comfortable and protected. It can be a source of pride and an expression of your personality. But when the time comes to purchase a new roof, it's easy to feel overwhelmed. Don't worry. Owens Corning Roofing and your contractor are here to help. We'll make it easy for you to select the right shingle for your type of home and sense of style. You can feel confident about choosing our roofing products – Owens Corning has been a recognized leader in the building industry for over 75 years. And we take pride in being America's #1 Roofing Brand:<sup>‡</sup>

By choosing Woodcrest® Shingles, you can transform your entire home with a natural, wood-shake look that will last for years to come. This is your chance to choose a roof that not only has outstanding performance and protection, but also provides exceptional beauty and comfort. So you'll feel right at home every time you pull in the driveway.

## Protected. Proud. Home.



Mesquite<sup>+</sup>




Woodcrest® Shingle Colors



Carbon†



Chestnut†



Granite†



Sycamore†



Mesquite†



Autumn Maple†



Timber†




Juniper†

## The most important part of the roof? All of them.



It takes more than just shingles to protect your home. It takes an integrated system of components and layers designed to withstand the forces of nature outside while controlling temperature and humidity inside. The Owens Corning™ Total Protection Roofing System™<sup>^</sup> gives you the assurance that all of your Owens Corning™ roofing components are working together to help increase the performance of your roof – and to enhance the comfort and enjoyment of those who live beneath it.



● Optional Owens Corning™ products designed to support the Total Protection Roofing System™<sup>^</sup>

- PINK® Fiberglas™ Blown-In Insulation
- Illuminator® Tube Skylight
- raft-R-mate® Attic Rafter Vent

<sup>^</sup> Excludes non-Owens Corning™ roofing products such as flashing, fasteners and wood decking.



**OWENS CORNING ROOFING AND ASPHALT, LLC**  
ONE OWENS CORNING PARKWAY  
TOLEDO, OHIO, USA 43659

**1-800-GET-PINK®**  
[www.owenscorning.com/roofing](http://www.owenscorning.com/roofing)

Pub. No. 10003278-H. Printed in U.S.A. January 2015. THE PINK PANTHER™ & © 1964–2015 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved. The color PINK is a registered trademark of Owens Corning. © 2015 Owens Corning. All Rights Reserved. (Compton, Denver, Irving, Portland, Summit)

## Product Attributes

### Warranty Length\*

Limited Lifetime<sup>†</sup> (for as long as you own your home)

### Wind Resistance Limited Warranty\*

110/130\*\* MPH

### Algae Resistance Limited Warranty\*

10 Years

### TruPROtection® Non-Prorated Limited Warranty\* Period

10 Years

## Woodcrest® Shingles Product Specifications

|                     |  |
|---------------------|--|
| Nominal Size        | 14 <sup>1</sup> / <sub>4</sub> " x 40" |
| Nominal Weight      | 350 lbs.                               |
| Exposure            | 4"                                     |
| Shingles per Bundle | 15                                     |
| Bundles per Square  | 6                                      |
| Coverage per Square | 100 sq. ft.                            |

## WoodStart® Starter Shingles Product Specifications

|                        |  |
|------------------------|--|
| Nominal Size           | 40" x 13 <sup>3</sup> / <sub>8</sub> " |
| Pieces per Bundle      | 16                                     |
| Lineal Feet per Bundle | 53.33                                  |

## Applicable Standards and Codes

ASTM D228

ASTM D3018 (Type 1)

ASTM D3462

ASTM D3161 (Class F Wind Resistance)

ASTM D7158 (Class H Wind Resistance)

ASTM E108/UL 790 (Class A Fire Resistance)

CSA A123.5<sup>††</sup>

ICC-ES AC438<sup>#</sup>

UL ER2453-01<sup>##</sup>

In the coastal regions of California, which tend to have high levels of salt in the atmosphere, copper or non-metallic gutters such as vinyl are recommended for use with algae resistant (AR) shingles. Aluminum gutters or aluminum components without corrosion protection are not recommended. This is because rain or dew runoff from AR shingles (which contain trace amounts of copper) can cause gutter or flashing corrosion.

\* See actual warranty for complete details, limitations and requirements.

† Owens Corning Roofing strives to accurately reproduce photographs of shingles. Due to manufacturing variances, the limitations of the printing process and the variations in natural lighting, actual shingle colors and granule blends may vary from the photo. The pitch of your roof can also impact how a shingle looks on your home. We suggest that you view a roofing display or several shingles to get a better idea of the actual color. To accurately judge your shingle and color choice, we recommend that you view it on an actual roof with a pitch similar to your own roof prior to making your final selection. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.

\*\* 130 MPH is applicable only with 6-nail application in accordance with installation instructions.

†† 40-Year Limited Warranty on commercial projects.

‡‡ Only on product sold in Canada.

‡‡ 2014 *Laminate Innovation Survey* by Owens Corning Roofing and Asphalt, LLC.

# International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.

## Underwriters Laboratories Evaluation Services Evaluation Report.